


Problem 1

The curve in blue is $R(t)$ and the curve in yellow/orange is $D(t)$.



a)

$$\int_0^8 R(t) dt = \int_0^8 20 \sin\left(\frac{t^2}{35}\right) dt = 76.570 \text{ ft}^3$$

b)

$R(3) - D(3) = -0.314 < 0$. Therefore, the amount of water in the pipe is decreasing at $t = 3$ hours. Note from the graph that removal rate curve is above the inflow rate curve when t equals 3 hours.

c)

We need to find the critical number, where the two rate curves intersect. Using a graphing calculator, we get: $t = 3.27166$.

$$t = 0 \parallel V(0) = 30$$

$$t = 8 \parallel V(8) = 30 + \int_0^8 R(t) - D(t) dt = 30 + 18.544 = 48.544$$

$$t^* = 3.27166 \parallel V(t^*) = 30 + \int_0^{t^*} R(t) - D(t) dt = 30 - 2.03544 = 27.965$$

By the Closed Interval Method, the minimum volume occurs is 27.965 cubic feet. The corresponding time value is 3.272 hours.

d)

$$30 + \int_0^w R(t) - D(t) dt = 50$$

OR

$$\int_0^w R(t) - D(t) dt = 20$$

Problem 2

a)

$$\text{Area} = \int_0^2 |f(x) - g(x)| dx = 2.00435 \approx 2.004$$

Or we can compute the areas separately (this takes a bit longer).

Intersection Point:

$$f(x) = g(x) \rightarrow x = 1.03283 = m$$

$$\text{Area} = \int_0^m g(x) - f(x) dx + \int_m^2 f(x) - g(x) dx =$$

$$= \int_0^m (x^4 - 6.5x^2 + 6x + 2) - (1 + x + e^{x^2-2x}) dx + \int_m^2 (1 + x + e^{x^2-2x}) - (x^4 - 6.5x^2 + 6x + 2) dx \approx 2.004$$

b)

Intersection Point:

$$f(x) = g(x) \rightarrow x = 1.03283 = m$$

$$A(x) = (f(x) - g(x))^2$$

$$\text{Volume} = \int_m^2 \left((1 + x + e^{x^2-2x}) - (x^4 - 6.5x^2 + 6x + 2) \right)^2 dx = 1.28316 \approx 1.283$$

c)

$$h(x) = f(x) - g(x) = (1 + x + e^{x^2-2x}) - (x^4 - 6.5x^2 + 6x + 2)$$

$$h'(1.8) \approx -3.8112 \text{ (Graphing Calculator)}$$

Problem 3

a)

$$v'(16) \approx \frac{v(20) - v(12)}{20 - 12} = \frac{240 - 200}{8} = 5 \text{ m / min}^2$$

b)

$\int_0^{40} |v(t)| dt$ is the total distance traveled during the time interval $[0, 40]$.

$$\int_0^{40} |v(t)| dt \approx R_4 = (12 - 0) * 200 + (20 - 12) * 240 + (24 - 20) * 220 + (40 - 24) * 150$$
$$R_4 = 12 * 200 + 8 * 240 + 4 * 220 + 16 * 150 = 2400 + 1920 + 880 + 2400 = 7600 \text{ meters.}$$

c)

$$v_b(t) = t^3 - 6t^2 + 300$$

$$a(t) = 3t^2 - 12t$$

$$a(5) = 75 - 60 = 15 \text{ m / min}^2$$


d)

$$v_{\text{avg}[0,10]} = \frac{1}{10 - 0} \int_0^{10} v(t) dt = \frac{1}{10} \int_0^{10} t^3 - 6t^2 + 300 dt = \frac{1}{10} \left(\frac{t^4}{4} - 2t^3 + 300t \right) \Big|_0^{10} = 350 \text{ m / min}$$

Problem 4

a)

$$\frac{dy}{dx} = 2x - y$$



b)

$$\frac{d^2y}{dx^2} = 2 - \frac{dy}{dx} = 2 - (2x - y) = 2 - 2x + y$$

In quadrant II, x -values are negative and y -values are positive. Therefore, the second derivative will be always positive. The solution curves will hence be concave upward.

c)

$$f(2) = 3$$

@ $x=2$, the first derivative is: $2 \cdot 2 - 3 = 1$. If a curve has a local extremum at a point, then the derivative must be zero or undefined there. In our case, it is neither zero nor undefined. Therefore, the given point is neither a local maximum nor a local minimum.

d)

$$\frac{dy}{dx} = 2x - y$$

$$y = mx + b \rightarrow \frac{dy}{dx} = m = 2x - y$$

Also :

$$\frac{dy}{dx} = 2x - (mx + b) = (2 - m)x - b = 0x + m$$

$$2 - m = 0 \rightarrow m = 2$$

$$m = -b \rightarrow b = -2$$

Problem 5

a)

f has a relative maximum whenever f' changes sign from positive to negative. This occurs, according to the graph, at $x = -2$.

b) f is decreasing whenever f' is negative. f is concave down whenever f'' is negative. In other words, f is concave down whenever the slope of f' is negative or whenever f' is decreasing. These two conditions are met on the interval $(-2, -1)$ and $(1, 3)$.

c) f has a point inflection whenever change f'' 's sign, f' stays the same, and f itself is continuous. There are three inflection points, at $x = -1, 1, 3$.

d)

$$f(x) = f(1) + \int_1^x f'(t) dt = 3 + \int_1^x f'(t) dt$$

$$\int_1^4 f'(x) dx = f(4) - f(1) \rightarrow f(4) = f(1) + \int_1^4 f'(x) dx = 3 - 12 = -9$$

$$\int_{-2}^1 f'(x) dx = f(1) - f(-2) \rightarrow f(-2) = f(1) - \int_{-2}^1 f'(x) dx = 3 - (-9) = 12$$

Problem 6

a)

$$\text{slope} = \frac{dy}{dx}_{(-1,1)} = \frac{y}{3y^2 - x}_{(-1,1)} = \frac{1}{4}$$

$$L(x) = f(-1) + f'(-1)(x+1) = 1 + \frac{1}{4}(x+1)$$

b)

$$\frac{dy}{dx} = \text{undefined}$$

$$3y^2 - x = 0 \rightarrow x = 3y^2$$

$$y^3 - (3y^2)y = 2 \rightarrow -2y^3 = 2 \rightarrow y = -1 \rightarrow x = 3$$

(3, -1)

c)

$$\frac{dy}{dx}_{(-1,1)} = \frac{1}{4}$$

$$\frac{d^2y}{dx^2} = \frac{(3y^2 - x)\frac{dy}{dx} - y\left(6y\frac{dy}{dx} - 1\right)}{(3y^2 - x)^2} = \frac{4 \cdot \frac{1}{4} - 1 \cdot \left(\frac{6}{4} - 1\right)}{16} = \frac{1 - \frac{1}{2}}{16} = \frac{1}{32}$$